As per Regulation (EC) No. 1907/2006

SDS n°: 18092013

AWS10

Review date: 15/03/2023

Version: 5

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/FIRM

1.1. Identification

Product name: AWS10 Pure substance/mixture: Mixture

1.2. Identified uses relevant of the substance or mixture and use advised against

Identified uses : Manometric fluid

1.3. Information about the supplier of the safety datasheet

Supplier :

SAUERMANN INDUSTRIE Rue Koufra 24700 MONTPON-MENESTEROL FRANCE Tel : 05.53.80.85.00 Fax : 05.53.80.16.81

For more information, please contact:

e-mail address: qualite.securite@sauermanngroup.com

1.4. Emergency call numbers

Ireland - Tel : 00 353 1 8092568 - 00 353 1 8379964 (24h/24) UK : +44 (0)-870-190-6777 (CARECHEM24)

2.1. Classification of the substance or mixture

REGULATION (EC) No 1272/2008

2. HAZARDS IDENTIFICATION

. **.**

For the full text of the Phrases-H mentioned in this section, see section 2.2. Aspiration toxicity - Category 1 - H304 Acute inhalation toxicity - dust/fog - Category 4 - H332

As per Regulation (EC) No. 1907/2006

SDS n° : 18092013

AWS10

Review date: 15/03/2023

Version: 5

DIRECTIVE 67/548/EEC or 1999/45/EC

For the full text of the phrases-R mentioned in this section, see section 16 The substance/mixture is classified as hazardous as per the Directive (s) 67/548/EEC and its amendments and/or 1999/45/EC and its amendments.

Classification Xn : R65 – Xn : R20

2.2. Label elements

Labeling as per

REGULATION (EC) No 1272/2008



Warning message DANGER

Hazard statements

H304 – Can cause death in case of ingestion and penetration into respiratory tract H332 – Harmful by inhalation

Prudent advice

P301 + P310 - IN CASE OF INGESTION : call immediately a POISON CONTROL CENTER or a doctor P331 – DO NOT induce vomiting

P261 – Avoid inhalation of dust/smokes/gas/mist/fumes/aerosols P271 – Use only outside or in a ventilated area

P271 – Use only outdoors or in a well-ventilated area.

P501 – Dispose of waste according to applicable legislation.

Contains light naphtenic hydrotreated distillate.

. **,**

2.3. Other hazards

- . - - - -

Physicochemical properties Properties having health effects	The contaminated surfaces become extremely slippery. In case of unwanted ingestion, the product can be enter into the lungs because of its low viscosity and can cause severe pulmonary injuries in the following hours (compulsory medical monitoring during 48 h). Small quantities reaching lungs by ingestion or vomiting may cause pulmonary edema or pneumonia.
Environmental properties	Should not be released into the environment.

As per REGULATION (EC) No. 1907/2006

FDS n° : 18092013

AWS10

Review date: 15/03/2023

Version : 5

3. COMPOSITION/INFORMATION ABOUT THE COMPONENTS

3.2. Mixture

Chemical name	NoCE	Recording number REACH	NoCAS	% in weig ht	Classification (Dir. 67/548)	Classification (Reg. 1272/2008)
Light naphtenic hydrotreated Distillate	265-156-6	01-2119480375-34	64742-53-6	< 90	-	Asp. Tox. 1 (H304)
1-decene, dimer hydrogenated	-	01-2119493069-28- 0002	68649-11-6	< 10	Xn;R20-65	Asp. Tox. 1 (H304) Acute Tox. 4 (H332)

The mineral oil in the product contains less than 3% dimethyl sulfoxide (DMSO) extract, measured using IP 346.

For the full text of phrases-P and H mentioned in this section, see section 16

4. FIRST AID

- - - - - -

4.1. FIRST AID DESCRIPTION

General advice	IN CASE OF SERIOUS AND PERSISTENT SYMPTOMS, CALL A DOCTOR OR ASK FOR AN EMERGENDY MEDICAL AID
Eye contact Skin contact Inhalation	Rinse thoroughly with plenty of water, also under the eyelids. Remove contaminated clothes and shoes. Wash with water and soap. The inhalation is doubtful because of the low vapor pressure of the substance at room temperature. However, a vapor exposure can occur when the product is handling at high temperatures with poor ventilation. Start immediately the artificial respiration if the victim is not breathing. In case of high concentration exposure of fume vapors or aerosols, move the person to fresh air, outside the contaminated area. Keep victim warm and at rest.
Ingestion	In case of ingestion, do not induce vomiting – consult a doctor. In case of ingestion following by vomiting, the product may penetrate into the lungs. In this case, the victim have to be moved immediately to an hospital.
Protection for first aider	Use appropriate personal protective equipment.

As per Regulation (EC) No. 1907/2006

FDS n° : 18092013

AWS10

Review date : 15/03/2023

Version : 5

4.2. Most important symptoms and effects, both acute and delayed

Eye contact Skin contact Inhalation	Vapours can cause an irritation. A prolonged or repeated contact can dry the skin and cause irritation. Harmful by inhalation. The inhalation of high concentration vapors can cause an irritation of the respiratory tract. Risk of depression of central nervous system with nausea, headache, dizziness, vomiting and loss of coordination.
Ingestion	Harmful : In case of unwanted ingestion, the product can be aspirated into the lugs because of its low viscosity and causes a pneumopathy of inhalation developing in the following hours (Medical surveillance is indispensable during 48h). The ingestion can cause an irritation of the digestive system, nausea, vomiting and diarrhoea.

4.3. Indication of any immediate medical attention and special treatment needed:

Advice to doctors

Treat symptomatically

5. FIRE-FIGHTING MEASURES

. **,**

- . - - - -

5.1. Extinguish media

Suitable Not suitable	Use foam, dry chemical or carbon dioxide extinguisher or spray. Do not use water jet.
5.2. Particular hazards resu	Iting from the substance or mixture
Particular risk	Decomposition products may include the following materials: carbon dioxide, carbon monoxide
5.3. Advices to fire-fighters	
Equipment of special protection	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
Other information	Cool the recipients/tanks by spraying with water. Contaminated fire residues and used water must be disposed of in accordance with the local regulations

As per Regulation (EC) No. 1907/2006

FDS n° : 18092013

AWS10

Review date : 15/03/2023

Version : 5

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Main informationCareful when discharging the product. It makes the surfaces slippery.
Use appropriate personal protective equipment. Keep unconcerned
personnel away. Maintain adequate ventilation, especially in closed
areas. Eliminate all the ignition sources (do not smoke, torches,
immediate spark or flames).

6.2. Environmental precautions

Main informationAvoid dispersal of spilt material and runoff and contact with soil,
waterways, drains and sewers. Inform the relevant authorities if the
product has caused environmental pollution (sewers, waterways, soil or
air).

6.3. Methods and material of containing and cleaning

Cleaning methods Remove with an inert absorbent. Keep in suitable, closed containers for disposal. Following product recovery, flush area with water.

6.4. Reference to other sections

. **,**

- . - - - -

Personal protective	See section 8 for further details.
equipment	
Waste treatment	See section 13 for further details.
Other information	Remove ignition source.

As per Regulation (EC) No. 1907/2006

FDS n° : 18092013

- . - - - -

AWS10

Review date : 15/03/2023

Version : 5

7. HANDLING AND STORAGE

7.1. Precautions for safe handling

Recommendations for a safe handling	Personal protection equipment, see section 8. Use only in well- ventilated areas. Do not breathe vapours or mist of pulverization. Avoid any contact with eye, skin and clothes.
Prevention of fires and explosions	Handle away from possible source of ignition (open flame, sparks, electric arcs) and from heat (collectors or hot walls). Do not smoke. Avoid accumulation of electrostatic charges.
Hygienic measures	People exposed to the risk of contacting the product must respect strict hygienic rules. When using the product, do not eat, drink or smoke. It is advised to clean regularly the equipment, the working area and clothes. Do not dry hand with dusters which served during the cleaning. Never use abrasive product, solvents or fuel. Wash your hands before the breaks and at the end of the working day.

7.2. Necessary conditions to ensure the storage security, taking into account possible incompatibilities

Technical measures/Storage conditions	Design the installation to avoid the accidental projections of product (for example, joint failure) on hot protection and electrical contact.
	Design the installation to prevent water and soil pollution in case of leak or flow. Store in a collecting pan. Store in a cool, dry and well-ventilated area. Keep safe from open flames, hot surfaces, and ignition sources. Ground and establish an equipotential bounding between the containers, tanks and transfer/reception equipments. Store at room temperature. Keep the containers sealed and well-labeled. Use only containers, seals, duct resisting to hydrocarbons.
Substance to be avoided	Strong acids. Oxidants.
Packaging	Keep only in the original container or in a container adapted to this type of product. Stainless steel.

As per Regulation (EC) No. 1907/2006

FDS n° : 18092013

AWS10

Review date : 15/03/2023

Version : 5

8. CONTROL OF THE INDIVUDUAL EXPOSITION/PROTECTION

8.1. Control parameters

Exposure limit	Oil mist (ELV): 10mg/m ³ , on 15 minutes
-	Oil mist (VME): 5mg/m ³ , on 8 hours
Legend	See section 16

DNEL workers (industrial/professional)

Chemical name	Short term systemic effect	Short term local effect	Long term systemic effect	Long term local effect
1-decene,	60 mg/m ³			
hydrogenated dimer 68649-11-6	Inhalation			

DNEL Consumer

Chemical name	Short term systemic effect	Short term local effect	Long term systemic effect	Long term local effect
1-decene, hydrogenated dimer 68649-11-6	50 mg/m ³ Inhalation			

8.2. Exposure control

Occupational exposure controls

Technical measure

In case of work in enclosed areas (cistern, container...), ensure a breathable atmosphere and wear proper equipment. Apply the necessary technical measures in order to respect occupational exposure limit values.

As per Regulation (EC) No. 1907/2006

FDS n° : 18092013 Review date : 15/03/2023 Version: 5 Personal protective equipment **General information** All the collective protection measures must be installed and applied before having to consider using the personal protective equipment. **Respiratory protection** All the collective protection measures must be installed and applied before having to consider using the personal protective equipment. The use of respiratory devices must respect the manufacturer's instructions and regulations that govern their choices and uses. When workers are faced to concentrations higher than exposure limits, they must wear appropriate and certified masks. In case of vapors, use a respiratory system with this type of filter: type A. In case of vapors and aerosols : Respiratory system with a vapors/particles cartridge : Type A/P2. Caution! Filters have a limited use duration. Eye protection If there is a risk of splashing, wear: safety glasses with protective sides. Skin and body protection Wear appropriate protective clothes. Safety shoes or safety boots. Waterproof and resistant to aliphatic solvents gloves: PVA, nitrile Hand protection rubber, neoprene gloves. PVA gloves are not water impermeable and are not suitable for an emergency operation. Please respect the instructions about the permeability and the penetration time that are given by the glove supplier. Take into account also the specific local conditions in which the product is used, such as abrasion and cutting risks.

Exposure control linked to the environmental protection

. **,**

General information Do not allow the product to contaminate ground water

As per Regulation (EC) No. 1907/2006

FDS n° : 18092013

- . - - - -

. **,**

AWS10

Review date: 15/03/2023

Version: 5

9. PHYSICAL AND CHEMICAL CHARACTERISTICS

9.1. Information the main physical and chemical characteristics

Color Physical state @20°C		Light red or light blue Liquid	
Odour		Weak	
Characteristic	Values	Notes	Method
pH Boiling point/range	> 200°C	Not applicable	
Flash point	> 140°C		ASTM D 93
Evaporation		No possible information	
Flammable limits in air		No possible information	
Vapour	< 1kPa @ 100 °C		
pressure			
Vapour density		No possible information	
Mass density	871 kg/m³	@ 15°C	ISO 12185
Water solubility	5	Does not mix with water	
Solubility in		Soluble in common	
other solvents		organic solvents	
logPow		Not applicable	
Autoignition	> 270°C	••	
temperature			
Viscosity, kinematic	< 20.5 mm²/s	@40°C	ISO 3104
Explosive	, ,	es with air. The matter can ac	cumulate electrostatic
properties Oxidizing properties	charges and so causes ign Not applicable	ition of electrical origin.	
Possibility of hazardous reactions	Not applicable		

As per Regulation (EC) No. 1907/2006

FDS n° : 18092013				
Review date: 15/03/2023	AWS10 Version : 5			
9.2. Other information				
No information available				
10. STABILITY AND READ	CTIVITY			
10.1. Reactivity				
10.2. Chemical stability				
Stability	Stable in the recommended conditions of handling and storage.			
10.3. Possibility of hazardo	ous reactions			
Hazardous reactions	None in normal use condition.			
10.4. Conditions to avoid				
Conditions to avoid	Heat, flames and sparks. Avoid the accumulation of electrostatic charges.			
10.5. Incompatible materia	<u>Is</u>			
Material to avoid	Strong acids. Oxidants.			
10.6. Hazardous decomposition products				
Decomposition products	Under normal conditions of storage and use, no hazardous decomposition products should be produced. The incomplete combustion and thermolysis produce more or less toxic gases such as CO, CO ₂ , various hydrocarbon, carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot.			
11. TOXICOLOGICAL INF	ORMATION			
11.1. Information about tox	cicological effects			
Acute toxicity, local effects and product information				
Skin contact	A prolonged or repeated contact can dry the skin and can cause			
Eye contact	irritation. Vapours can cause an irritation.			

···· · · · · · · · · ·

As per Regulation (EC) No. 1907/2006

FDS n° : 18092013	AWS	10	
Review date : 15/03/2023	Avvs		Version : 5
Inhalation	Harmful by inhalation. The inhalation of high concentration vapors can cause an irritation of the respiratory tract. Risk of depression of central nervous system with nausea, headache, dizziness, vomiting and loss of coordination.		
Ingestion	Harmful : In case of unwanted ingestion, the product can be aspirated into the lugs because of its low viscosity and may cause a pneumopathy of inhalation developing in the following hours (Compulsory medical monitoring during 48h). The ingestion can cause an irritation of the digestive system, nausea, vomiting and diarrhoea.		
Acute toxicity – Componen	nts information		
Chemical name	DL50 oral	DL50 dermal	CL50 by inhalation
Light naphthenic distillates (petroleum), hydrotreated	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	= 2.18 mg/L (Rat) 4 h
1-decene, hydrogenated dimer	LD50 >5000 mg/kg Oral (Rat)	LD50 (24h) >3000 mg/kg (Rabbit-OECD 402)	LC50 (4h) 1.17 mg/l Inhalation dust/mist (Rat)
Sensitization			
Sensitization	Not classified as sensitizing.		
Specific effects			
Carcinogenicity	No known significant e	ffects or critical hazards.	
Chemical name Light naphthenic distillates (petroleum), hydrotreated 64742-53-6		European -	union
Mutagenicity	No known significant effects or critical hazards.		
Toxicity for the reproduction	No known significant effects or critical hazards.		
Repeated dose toxicity			

····

As per Regulation (EC) No. 1907/2006

FDS n° : 18092013

AWS10

Review date : 15/03/2023

Version : 5

Effects on target-organs (STOT)

Aspiration toxicity

The fluid can enter in the lungs and cause injuries (chemical pneumonitis, potentially deadly).

Other information

Other harmful effect

Frequent or prolonged contacts with skin break down the lipoic acid cutaneous coating and can cause dermatosis.

12. ECOLOGICAL INFORMATION

12.1. Toxicity

Not classified.

Acute toxicity the water environment – Product information

No available information.

Acute toxicity the water environment – Components information

Chemical name	Toxicity for algae	Toxicity for the daphnia and other aquatic invertebrates	Toxicity for fishes	Toxicity for les micro-organisms
Light naphthenic distillates (petroleum), hydrotreated 64742-53-6		EC50 (48h) > 1000 mg/L Daphnia magna	LC50 (96h) > 5000 mg/L Oncorhynchus mykiss ()	
1-decne, dimer hydrogenated 68649-11-6	EC50 (72h) >1000 mg/l Scenedesmus capricornutum static	EC50 (48h) >1000 mg/l Daphnia magna static	LC50 (96h) >1000 mg/l Oncorhynchus mykiss semi static	

Chronic toxicity for the water environment • Product information

No available information.

· · · · · · · ·

Chronic toxicity for the water environment - Components information

Chemical name	Toxicity for algae	Toxicity for the daphnia and other aquatic invertebrates	Toxicity for fishes	Toxicity for les micro-organisms
1-decne, dimer		NOEC (21d) 125 mg/l		
hydrogenated 68649-11-6		Daphnia magna		

SAFETY DATA SHEET

FDS n° : 18092013

AWS10

Version : 5

Effects on terrestrial organisms

No available information.

Review date : 15/03/2023

12.2. Persistence and degradability

General information

The product is not supposed to satisfy the fast degradability criteria but is inherently biodegradable.

12.3. Bioaccumulation potential

Product informationSome constituents of this product present a bioaccumulation potential.logPowNot applicable

Components information

12.4. Mobility in soil

Soil	Given its physical-chemical data, the product is in general mobile in soil.
Air	There is little loss by evaporation.
Water	The product is insoluble and floats on water.

12.5. Results of the PBT and VPVB evaluations

PBT and vPvBThis product does not have substance considered as PBT and/or vPvBevaluationsas per the criteria of the section XIII of the REACH regulation.

12.5. Other harmful effects

General information No available information.

13. CONSIDERATION ABOUT THE ELIMINATION

13.1. Waste treatment methods

Waste from residues / unused product
Contaminated packaging
Waste number as per the CED
Eliminate in accordance with the European Directives on wastes and hazardous wastes. Should not be released into the environment.
Empty containers must be brought to an approved area for treatment of waste for the purpose of recycling or disposal.
According to the European Waste Catalog (EWC) the waste code does not relate to the product itself but to its application. The waste code have to be given by the user, according to the product application.

As per Regulation (EC) No. 1907/2006

FDS n° : 18092013

AWS10

Review date : 15/03/2023

14. INFORMATION ABOUT THE TRANSPORT

<u>14.1. UN number</u>

Not regulated

14.2. United Nations Shipping Name

14.3. Transport hazard class(es)

14.4. Packing group

14.5. Environmental hazards

No

14.6. Special precautions for the user

Not available

14.7. Transport in bulk in accordance with Annex II of the MARPOL Convention and the IBC Code

Not available

15. REGULATORY INFORMATION

15.1. Specific regulation/legislation for the substance or mixture about safety, health and environment

European Union Regulation n°1907/2006 (REACH)

Appendix XIV – List of substances subject to authorization Annex XIV None of the components are listed Substances of Very High Concern None of the components are listed

Annex XVII – Restrictions applicable to the manufacture, placing on the market and use of certain dangerous substances and preparations and certain dangerous articles Not applicable

REACH status

- - - - - -

. ,

The company, identified in Section 1, sells this product in accordance with current REACH requirements.

SAFETY DATA SHEET

14/16

Version : 5

As per Regulation (EC) No. 1907/2006

FDS n° : 18092013

AWS10

Version : 5

International reviews

Review date : 15/03/2023

EINECS/ELINCS	Comply with
TSCA	Comply with
DSL	Comply with
ENCS	-
IECSC	Comply with
KECL	Comply with

PICCS	Comply with
AICS	Comply with
NZIOC	Comply with

Legend

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List ENCS - Japan Existing and New Chemical Substances IECSC - China Inventory of Existing Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances PICCS - Philippines Inventory of Chemicals and Chemical Substances AICS - Australian Inventory of Chemical Substances NZIOC - New Zealand Inventory of Chemicals

Additional information

15.2. Evaluation of the chemical safety

Evaluation of the chemical safety No available information

16. OTHER INFORMATIONS

Full text of advices-H quoted:

 $\rm H304-can$ cause death if swallowed and in case of penetration in respiratory tract $\rm H332$ - Harmful inhalation

SAFETY DATA SHEET

FDS n°: 18092013

AWS10

Review date: 15/03/2023 Occupational exposure controls

5

Full text of advices-P quoted:

P301 + P310 - IN CASE OF INGESTION : call immediately a POISON CONTROL CENTER or a doctor P331 – DO NOT induce vomiting

P261 – Avoid inhalation of dust/smokes/gas/mist/fumes/aerosols P271 – Use only outside or in a ventilated area

P271 – Use only outdoors or in a well-ventilated area.

P501 – Dispose of waste according to applicable legislation.

Abbreviations, acronyms

Legend Section 8

+ Sensitizing product	* Skin designation
** Hazard designation	C: Carcinogenic
M: Mutagen	R: Toxic for the reproduction

This data sheet comes in addition to the technical user manuals but does not supplant them. Information in this data sheet are based on our state of knowledge about the concerned product, on the indicated date. They are given in good faith. The users should pay also attention on potential risks when a product is used with other uses that those for which it is conceived. It does not exempt for the user to know and apply all the regulatory text of his activity. Under its sole responsibility, the user will apply all the precautions linked to the use of the product. The purpose of the whole of the regulatory regulations mentioned is simply to help the recipient to fulfil the obligations which fall on to him. This enumeration is not exhaustive. The recipient must make sure that other obligations do not fall on to him because of texts other than those quoted.

End of the safety data sheet

Version: